

Invasive cervical cancer incidence

King County, 2007-2011 average

Source: Washington State Cancer Registry

Most recent data (2011): 6.0 cases per 100,000 women in King County, including 64 cases.

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	6.2	5.6	7.0	64
Age				
<18	0.0	0.0	0.3	0
18-24	*	*	*	*
25-44	8.3	6.9	9.9	24
45-64	11.4	9.6	13.4	29
65+	8.8	6.5	11.5	10
Race/Ethnicity				
AIAN	21.2 [§]	9.3	47.4	2
Asian	6.5	4.8	8.8	9
Black	6.7	4.0	11.1	4
Hispanic	10.1	5.8	17.9	5
Multiple	0.0	0.0	0.0	0
NHPI	*	*	*	*
White	6.1	5.3	6.9	47
Neighborhood Poverty				
High	9.7	7.3	12.6	11
Medium	6.2	5.4	7.1	41
Low	5.0	3.8	6.6	12
Region				
East	4.6	3.6	6.0	13
North	7.3	5.0	10.5	7
Seattle	6.4	5.2	8.0	19
South	7.2	6.0	8.6	26

Notes:

N/A: Not available

* Too few cases to protect confidentiality and/or report reliable rates

§ Too few cases to meet precision standard, interpret with caution

CI is 95% Confidence Interval

Rate = Cases of invasive cervical cancer per 100,000 women, age-adjusted to the 2,000 US population.

Prepared By: Public Health - Seattle & King County;

Assessment, Policy Development, & Evaluation, 1/2015

Invasive cervical cancer incidence by comparison areas

Source: Surveillance, Epidemiology, and End Results Program; Washington State Cancer Registry

The Healthy People 2020 Objective is 7.1 cases per 100,000 women.

	Latest Available Year	Rate	Lower CI	Upper CI
United States	2011	6.7	N/A	N/A
Washington State	2011	7.1	6.2	8.0
King County	2011	6.0	4.6	7.7

Notes:


N/A: Not available

CI is 95% Confidence Interval

Rate = Cases of invasive cervical cancer per 100,000 women, age-adjusted to the 2000 US population.

Prepared By: Public Health - Seattle & King County;
Assessment, Policy Development, & Evaluation, 1/2015

Invasive cervical cancer incidence, King County, 2007-2011 average



Source: Washington State Cancer Registry

Prepared by: Public Health Seattle & King County, Assessment, Policy Development, & Evaluation, 1/2015


[^]Rate = Cases of invasive cervical cancer per 100,000 women, age-adjusted to the 2000 US population.

|-----|: Confidence interval shows range that includes true value 95% of the time

* Too few cases to protect confidentiality and/or report reliable rates

§ Too few cases to meet precision standard, interpret with caution

Invasive cervical cancer incidence by comparison areas




Source: SEER Program; WA State Cancer Registry

Prepared by: Public Health Seattle & King County, Assessment, Policy Development, & Evaluation, 1/2015

[^]Rate = Cases of invasive cervical cancer per 100,000 women, age-adjusted to the 2000 US population.

|-----|: Confidence interval shows range that includes true value 95% of the time

Invasive cervical cancer incidence, King County, 2000-2011, three-year rolling averages



Source: Washington State Cancer Registry

Prepared by: Public Health Seattle & King County, Assessment, Policy Development, & Evaluation, 1/2015

^Rate = Cases of invasive cervical cancer per 100,000 women, age-adjusted to the 2000 US population.